



# Technical Data

PRODUCT TECH

©2011 Torco

## V-SERIES PRIMARY CHAINCASE LUBRICANT

### >>Description

V-Series Primary Chaincase is a highly stable combination of synthetic and petroleum based fluids designed to protect all critical drive components found in Harley® and aftermarket chaincases. A selective blend of extreme pressure and anti-friction additives provide the highest degree of protection, as well as smooth positive clutch operation. This shear stable formula of V-Series Primary Chaincase also prevents the formation of rust and oxidation, which is critical during storage.

### >>Features

- >Synthetic blend technology
- >Excellent shock load and extreme pressure protection
- >Provides smooth, positive clutch activation
- >Superior anti-rust and oxidation protection
- >Extends clutch and chain life
- >Excellent high temperature and shear stability

### >>Application

Recommended for use in FL, FLT, FX and FXR chaincase applications. It is also recommended for use in the combined primary/transmission of Sportster® Series XL and XR applications. Formulated to exceed manufacturer warranty requirements. Exceeds API GL-4

### >>Typical/Test Data

<b>Description</b>	<b>ASTM#</b>	Chaincase Lubricant
<b>Appearance</b>	<b>Visual</b>	CL/Amber
<b>Viscosity @ 100°C</b>	<b>D-445</b>	13.45
<b>Viscosity @ 40°C</b>	<b>D-445</b>	110.38
<b>Pour Point, °C</b>	<b>D-97</b>	-26
<b>Flash Point, °C</b>	<b>D-92</b>	220

### >>Directions

Follow manufacturer fill level requirements. Compatible with other petroleum and synthetic lubricants.

### >>Package Sizes / P/N

<b>Description</b>	Chaincase Lubricant
<b>1-Liter (1.056 US QT)</b>	T730080CE
<b>12/1-Liter Case</b>	T730080C

