# **SAFETY DATA SHEET**



This Safety Data Sheet (SDS) complies with the requirements of the U.S. Federal Occupational Safety and Health Administration Hazard Communication Standard (29 CFR 1910.1200, as updated in 2012), the American National Standards Institute (Z400.1, 1998), and equivalent state Standards. It has also been developed in accordance with the Canadian Workplace Hazardous Materials Standard and the United Nations Globally Harmonized System of Classification of Chemicals, as well as European Union requirements under REACH (Registration, Evaluation, Authorization and Restriction of Chemical substances, per EC 1907/2006) and Directive 91/155/EC. Refer to Section 16 of this document for the definition of terms and abbreviations.

## SECTION 1: IDENTIFICATION of the Substance/Mixture and of the Company/Undertaking

#### 1.1 PRODUCT IDENTIFIER:

- PRODUCT NAME:
- SYNONYMS:

## **BRIGHT PALLADIUM PLATING SOLUTION**

Not applicable.

CHEMICAL NAME/CLASS: Inorganic solution.

#### 1.2 RELEVANT IDENTIFIED USES OF THE MIXTURE OR USES ADVISED AGAINST

IDENTIFIED USE:

USES ADVISED AGAINST:

Jewelry Plating None Specified

- 1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET
  - MANUFACTURER/ SUPPLIER:
  - ADDRESS

#### • BUSINESS PHONE:

• EMERGENCY PHONE:

#### **GOLD PLATING SERVICES**

378 North Main Street #112 Layton, Utah 84041

801-546-6200

P.E.R.S. In US #: 1 (800) 633-8253

Outside US #: 1 (801) 629-0667

#### 1.4 OTHER PERTINENT INFORMATION

• This product is used as part of metal finishing and polishing processes in relatively small volume (1 quart and less in size). This SDS has been developed to address safety concerns affecting small volume handling situations and those involving warehouses and other workplaces where large numbers of these items are stored or distributed.

## **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:

REGULATION	CLASSIFICATION
OSHA HAZARD COMMUNICATION (GHS)	Skin Corrosion/Irritation (Category 2); Eye Damage/Irritation (Category 2B)
REACH/CLP (GHS)	Skin Corrosion/Irritation (Category 2); Eye Damage/Irritation (Category 2B); Acute Toxicity/Oral (Category 5)
EU DIRECTIVES 67/548/EEC; 1999/45/EC	Irritant [Xi]

Bright Palladium Plating Solution	GOLD PLATING SERVICES	SAFETY DATA SHEET
Product Line	Page 1 of 10	July 1, 2019

## **SECTION 2: HAZARDS IDENTIFICATION (Continued)**

#### 3.1 LABEL ELEMENTS:

• OSHA/CLP – BASED ON GLOBALLY HARMONIZED SYSTEM

#### Symbol: To the right.

Signal Word: Warning.

#### Hazard statement(s)

- H315: Causes skin irritation.
- H320: Causes eye irritation.
- H303: May be harmful if swallowed.

#### Precautionary statement(s)

- P264: Wash thoroughly after handling.
- P280: Wear protective gloves/protective clothing/eye protection/face protection.
- P302+P332+P313: IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention.
- P305+P351+P338+P337+P313: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. If eye irritation persists: Get medical advice or attention.
- P312: Call a POISON CENTER if you feel unwell.
- P405: Store locked up.
- P501 Dispose of contents/ container to an approved waste disposal plant.

## <u>EC DIRECTIVE SYMBOLS, RISK AND SAFETY PHRASES</u>

#### Symbol: Irritant [Xi]

Risk Phrases: Irritating to skin and eyes. [R:36/38]

**Safety Phrases** Keep locked-up and out of reach of children. (*This safety phrase may be omitted for preparations sold for industrial use only*). Wear suitable protective clothing, gloves and eye/face protection. [S: (1&2); 36/37/39]



## 3.2 OTHER PERTINENT DATA ON CHEMICAL AND PHYSICAL HAZARDS:

#### • EMERGENCY OVERVIEW:

**PHYSICAL DESCRIPTION:** This product is a clear, pale-pink liquid with a slight ammonia odor. **HEALTH HAZARDS:** The solution can irritate the skin and eyes. It may be harmful if swallowed.

FIRE HAZARDS: This product is not flammable.

PHYSICALHAZARDS: This product is stable under normal temperatures and pressures.

**EVIRONMENTAL HAZARDS:** This product may be to contaminated terrestrial and aquatic life-forms if significant volumes are released into the environment.

#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM

Health	2	HMIS Personal Protective Equipment Rating:
Flammability	0	Occupational Use situations: C; Safety glasses and gloves; body protection suitable to specific
Physical Hazard	0	circumstances of use should be considered.
Protective Equipment	B/C	

#### • CANADIAN REGULATORY STATUS

 This product is classified as hazardous under Canadian Controlled Products regulations (SOR-88-66). It is classified D2-B: Materials Causing Other Toxic Effects/Toxic Material



• This SDS contains all the information required by the CPR.

Bright Palladium Plating Solution	GOLD PLATING SERVICES	SAFETY DATA SHEET
Product Line	Page 2 of 10	July 1, 2019



## **SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

#### 3.1/3.2 SUBSTANCES/MIXTURES

COMPONENT	CAS NUMBER	EINECS #	EC Class/Risk Phrases	% (w/w)
Palladium (II) Complex (following information is for palladium)	7440-05-3	231-115-6	Not Established	< 2
Water and other components. Each of the other components are present in less than 1 percent concentration (0.1% concentration for potential carcinogens, reproductive toxins, respiratory tract sensitizers, and mutagens.)		Not Established	Balance	

## **SECTION 4: FIRST AID MEASURES**

#### 4.1 DESCRIPTION OF FIRST AID MEASURES

**Eyes:** Flush with copious amounts of water for 15 minutes. "Roll" eyes during flush. Seek medical attention immediately. **Skin:** Flush area with warm, running water for 15 minutes. **Inhalation**: If vapors, mists, or sprays of this product are inhaled, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. **Ingestion:** Contact a Poison Control Center or physician for instructions. If professional advice is not available, do not induce vomiting. Victim should drink milk, egg whites, or large quantities of water. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow.

#### 4.2 MOST IMPORTANT ACUTE AND CHRONIC EXPOSURE SYMPTOMS

- ACUTE: Contact may cause eye or skin irritation. Eye contact can cause redness, pain, and tearing. Skin contact can result in redness and irritation. Prolonged or repeated skin contact can result in dermatitis. If the product is swallowed, irritation of the mouth, throat, and other tissues of the gastrointestinal system may occur. Ingestion of large amounts can cause irritation, pain, vomiting, and diarrhea. Overexposure to mists or sprays of this product may cause irritation to the respiratory tract. Symptoms of such exposure can cause coughing, wheezing, and inflammation of the tissues of the nose, throat, and other respiratory system organs.
- CHRONIC: Prolonged or repeated skin contact may result in dermatitis.
- TARGET ORGANS: Acute eyes, skin. Chronic skin.
- 4.3 INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED
  - **RECOMMENDATIONS TO PHYSICIANS**: Treat symptoms and eliminate exposure.
  - MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE: Eye and skin disorders.

## **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1 EXTINGUISHING MEDIA

- **RECOMMENDED FIRE EXTINGUISHING MEDIA:** Water Spray, Water Jet, Dry Powder, Foam, Carbon Dioxide, Halon, or any other.
- UNSUITABLE FIRE EXTINGUISHING MEDIA: None known.

#### 5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE



#### NFPA FLAMMABILITY CLASSIFICATION: Not flammable.

**UNUSUAL HAZARDS IN FIRE SITUATIONS:** This product is non-combustible. This product does not significantly contribute to the intensity of a fire. Use extinguishing material suitable to the surrounding fire.

Sensitivity to Mechanical Impact: Not sensitive.

Explosion Sensitivity to Static Discharge: Not sensitive.

Bright Palladium Plating Solution	GOLD PLATING SERVICES	SAFETY DATA SHEET
Product Line	Page 3 of 10	July 1, 2019

## **SECTION 5: FIREFIGHTING MEASURES (Continued)**

#### 5.3 ADVICE FOR FIREFIGHTERS

Wear Self Contained Breathing Apparatus and full protective equipment for fire response. Move containers from fire area if it can be done without risk to personnel. Otherwise, use water spray to keep fire-exposed containers cool. Contaminated equipment should be rinsed thoroughly with water before returning to service.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 PERSONAL PRECAUTIONS. PROTECTIVE EQUIPMENT. AND EMERGENCY PROCEDURES

- **RESPONSE TO INCIDENTAL RELEASES:** Personnel who have received basic chemical safety training can generally handle small-scale releases (e.g., under 1 gallon). For small releases, the minimum Personal Protective Equipment should be rubber gloves and rubber apron, splash goggles or safety glasses. Use caution during clean-up; contaminated floors and items may be slippery.
- **RESPONSE TO NON-INCIDENTAL RELEASES:** For large-scale releases of this product, minimum Personal Protective Equipment should be Level C: triple-gloves, chemical resistant apron, boots, and splash goggles and air purifying respirator equipped with a HEPA filter. Level B protection should be used when oxygen levels are below 19.5% or are unknown.
- **RESPONSE PROCEDURES FOR ANY RELEASE**: Absorb spilled liquid with polypads or other suitable absorbent materials. Rinse area with soap/water solution followed by a water rinse.

#### 6.2 ENVIRONMENTAL PRECAUTIONS

• Avoid response actions that can cause a release of a significant amount of the substance (1 liter or more) into the environment.

#### 6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

• SPILL RESPONSE EQUIPMENT: Polypad or other absorbent material.

#### 6.4 REFERENCES TO OTHER SECTIONS

- **SECTION 8:** For exposure levels and detailed personal protective equipment recommendations.
- **SECTION 13:** For waste handling guidelines.

## **SECTION 7: HANDLING AND STORAGE**

#### 7.1 PRECAUTIONS FOR SAFE HANDLING

- **HYGIENE PRACTICES:** Keep out of reach of children. Follow good chemical hygiene practices. Do not smoke, drink, eat, or apply cosmetics in the chemical use area. Avoid inhalation of vapors, mists and sprays. Use in well-ventilated area. Avoid contact with skin or eyes. Remove contaminated clothing promptly. Clean up spilled product immediately.
- **HANDLING RECOMMENDATIONS:** Employees must be appropriately trained to use this product safely as needed. When diluting this solution, slowly add the product to the water, to prevent splattering. Keep containers closed when not in use.

#### 7.2 CONDITIONS FOR SAFE STORAGE. INCLUDING ANY INCOMPATIBILITIES

• STORAGE RECOMMENDATIONS: Ensure all containers are correctly labeled. Store containers away from direct sunlight, sources of intense heat, or where freezing is possible. Store this product away from incompatible chemicals (See Section 10, Stability and Reactivity). Empty containers may contain residual liquid; therefore, empty containers should be handled with care. Material should be stored in secondary containers, or in a diked area, as appropriate. Storage and use areas should be covered with impervious materials. Inspect all incoming containers before storage, to ensure containers are properly labeled and not damaged.

Bright Palladium Plating Solution	GOLD PLATING SERVICES	SAFETY DATA SHEET
Product Line	Page 4 of 10	July 1, 2019

## SECTION 7: HANDLING AND STORAGE (Continued)

#### 7.3 SPECIFIC END USES

- **RECOMMENDATIONS:** Place product away from children and animals.
- INDUSTRIAL-SECTOR SPECIFIC SOLUTIONS: PROTECTIVE PRACTICES DURING MAINTENANCE OF CONTAMINATED EQUIPMENT -- Follow practices indicated in Section 6 (Accidental Release Measures).

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1 CONTROL PARAMETERS

• U.S. NATIONAL EXPOSURE LIMITS:

COMPONENT	ACGIH TLV	OSHA PEL (ppm)	NIOSH REL (ppm)	OTHER
Palladium (II) Complex	NE	NE	NE.	NE.

#### • INTERNATIONAL EXPOSURE LIMITS:

COMPONENT	Federal Republic of Germany (DFG) Maximum Concentration Values in the Workplace (MAKs)	OTHER
Palladium (II) Complex	NE	NE

- **BIOLOGICAL OCCUPATIONAL EXPOSURE LIMITS:** There are no Biological Exposure Indices (BEIs) for components of this product.
- **DERIVED NO EFFECT LEVEL (DNEL):** Not established.
- **PREDICTED NO EFFECT CONCENTRATION (PNEC):** Not established.

#### 8.2 EXPOSURE CONTROLS

- **ENGINEERING CONTROLS:** Use this product in well-ventilated environment. Safety showers, eye wash stations, and hand-washing equipment should be available.
- **RESPIRATORY PROTECTION:** None needed under normal conditions of use. Use NIOSH approved respirators if ventilation is inadequate to control mists. For situations in which splash or sprays may occur, an air-purifying respirator with a high-efficiency particulate filter.
- HAND PROTECTION: Neoprene gloves should be used. Use triple gloves for spill response, as stated in Section 6 (Accidental Release Measures) of this SDS. If necessary, refer to U.S. OSHA 29 CFR 1910.138, appropriate Standards of Canada, or appropriate Standards of the European Economic Community.
- **EYE PROTECTION:** Splash goggles or safety glasses. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, or the European Standard EN166.
- **BODY PROTECTION:** Use a body protection appropriate to task (e.g., lab coat, coveralls, or apron). Care should be taken to select protection for potentially exposed areas when splashes, sprays, or prolonged exposure could occur in occupational settings.

Bright Palladium Plating Solution	GOLD PLATING SERVICES	SAFETY DATA SHEET
Product Line	Page 5 of 10	July 1, 2019

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

- (a) APPEARANCE: Light pink, clear liquid.
- (b) ODOR: Slight, Ammonia-like.
- (c) ODOR THRESHOLD: Not determined.
- (d) pH: 5-7.
- (e) MELTING POINT/FREEZING POINT: Approx. 0°C (32°F).
- (f) INITIAL BOILING POINT AND BOILING RANGE: Approx. 100°C (212°F).
- (g) FLASH POINT: Not applicable.
- (h) EVAPORATION RATE (water=1): Approximately 1.0.
- (i) FLAMMABILITY: Not flammable.
- (j) UPPER/LOWER FLAMMABILITY OR
- **EXPLOSIVE LIMITS:** Not applicable.

#### 9.2 OTHER INFORMATION

- VOC (less water & exempt): Not applicable.
- WEIGHT% VOC: Not applicable.

- (k) VAPOR PRESSURE (mmHg @ 20°C): Approximately 17.5.
- (I) VAPOR DENSITY: Not determined.
- (m) RELATIVE DENSITY (water=1): 1.05 1.10
- (n) SOLUBILITY: Soluble.
- (o) PARTITION COEFFICIENT: N-OCTANOL/WATER: Not determined.
- (p) AUTO-IGNITION TEMPERATURE: Not applicable.
- (q) DECOMPOSITION TEMPERATURE: Not determined.
- (r) VISCOSITY: Not determined.
- (s) EXPLOSIVE PROPERTIES: Not applicable.
- (t) OXIDIZING PROPERTIES: Not an oxidizer.

## SECTION 10: STABILITY AND REACTIVITY

#### 10.1 <u>REACTIVITY</u>

 Not reactive under typical conditions of use or handling; contact with water can generate some amount of heat.

#### 10.2 CHEMICAL STABILITY

• Normally stable under standard temperatures and pressures.

#### 10.3 POSSIBILITY OF HAZARDOUS REACTIONS

- This product is not self-reactive or air-reactive.
- This product can release heat upon contact with water.
- This product will not undergo hazardous polymerization.

#### 10.4 CONDITIONS TO AVOID

• Avoid contact with incompatible chemicals.

#### 10.5 INCOMPATIBLE MATERIALS

• This product is not compatible with strong oxidizers, strong acids and water-reactive substances.

#### 10.6 HAZARDOUS DECOMPOSITION PRODUCTS

• Products of thermal decomposition of this product can include ammonia and phosphorous oxide vapors, as well as palladium metal-containing substances.

## SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

#### • ACUTE TOXICITY:

• **TOXICOLOGY DATA:** The following data are available for hazardous components in this product greater than 1% in concentration

#### PALLADIUM (II) COMPLEX:

 $LD_{50}$  (oral, rat): 2704 mg/kg  $LD_{50}$  (intraperitoneal, rat): 70 mg/kg  $LD_{50}$  (intravenous, rat): 3 mg/kg

#### PALLADIUM (II) COMPLEX:

LD<sub>50</sub> (oral, mouse): > 1000 mg/kg LD<sub>50</sub> (intraperitoneal, mouse): 87 mg/kg

Bright Palladium Plating Solution	GOLD PLATING SERVICES	SAFETY DATA SHEET
Product Line	Page 6 of 10	July 1, 2019

## SECTION 11: TOXICOLOGICAL INFORMATION (Continued)

- **DEGREE OF IRRITATION:** Mild to moderate, depending on duration of exposure.
- **SENSITIZATION:** Not reported to have skin or respiratory sensitization effects.
- **REVIEW OF ACUTE SYMPTOMS AND EFFECTS:** See Section 2 (Hazards Information) and Section 4 (First-Aid Measures) for further details.
  - **EYES:** May cause mild to moderate irritation.
  - SKIN: May cause mild to moderate irritation.
  - **INHALATION:** Mists or vapors of this product can cause mild to moderate nasal irritation.
  - **INGESTION:** Although not anticipated to be a significant route of occupational overexposures, ingestion of this product may irritate the mouth, throat, and other contaminated tissue.
- CHRONIC TOXICITY:
  - CARCINOGENICITY STATUS: The following table summarizes the carcinogenicity listing for the components of this product. "NO" indicates that the substance is not considered to be, or suspected to be, a carcinogen by the listed agency.

CHEMICAL	IARC	NTP	NIOSH	OSHA	OTHER
Palladium (II) Complex	NO	NO	NO	NO	NO

- **REPRODUCTIVE TOXICITY INFORMATION:** The components of this product are not reported to cause reproductive effects under typical circumstances of exposure at the concentrations present in this product.
- **MUTAGENIC EFFECTS:** The components of this product are not reported to cause reproductive effects under typical circumstances of exposure at the concentrations present in this product.
- o SPECIFIC TARGET ORGAN TOXICITY SINGLE EXPOSURE: Not applicable.
- **SPECIFIC TARGET ORGAN TOXICITY REPEATED EXPOSURE:** Not applicable.

#### • OTHER INFORMATION

- TOXICOLOGICALLY SYNERGISTIC PRODUCTS: None known.
- **ADDITIONAL TOXICOLOGY:** None known.

## SECTION 12: ECOLOGICAL INFORMATION

#### 12.1 <u>TOXICITY</u>

- Based on available data, this product may be harmful to contaminated terrestrial plants or animals.
- Based on available data, this product may be harmful or fatal to contaminated aquatic plants or animals.
- There are currently no aquatic toxicity data available for components of this product.

#### 12.2 PERSISTENCE AND DEGRADABILITY

• When released into the soil, the components of this product are expected to biodegrade, dissipate in soils via oxidation, or otherwise chemically degrade or photo-decompose via solar radiation.

#### 12.3 BIOACCUMULATIVE POTENTIAL

• The components of this product are not anticipated to bioaccumulate in any significant quantities.

#### 12.4 MOBILITY IN SOIL

• It is to be expected this product will have small mobility in soil. Some of the components may get into the soil and, ultimately, the ground water. Product spreads on the water surface.

#### 12.5 RESULTS OF PBTand vPvB ASSESSMENT

• No data are available.

#### 12.6 OTHER ADVERSE EFFECTS

• ENDROCRINE DISRUPTOR INFORMATION: No component is reported to be an endocrine disruptor.

Bright Palladium Plating Solution	GOLD PLATING SERVICES	SAFETY DATA SHEET
Product Line	Page 7 of 10	July 1, 2019

## SECTION 13: DISPOSAL CONSIDERATION

#### 13.1 WASTE TREATMENT METHODS

- WASTE HANDLING RECOMMENDATIONS: Prepare, transport, treat, store, and dispose of waste product according to all applicable local, U.S. State and U.S. Federal regulations, the applicable Canadian standards, or the appropriate standards of the nations of the European Community.
- **PRECIOUS METAL RECLAMATION:** Users of the product may wish to utilize precious metal reclamation services for final disposition of wastes.

#### 13.2 DISPOSAL CONSIDERATIONS

• EPA RCRA WASTE CODE: Not applicable

#### EUROPEAN WASTE CODE: 11 01 99

## **SECTION 14: TRANSPORT INFORMATION**

#### 14.1 ,2,3,4: DANGEROUS GOODS BASIC DESCRIPTION AND OTHER TRANSPORT INFORMATION

#### DEPARTMENT OF TRANSPORTATION HAZARDOUS MATERIALS SHIPPING REGULATIONS:

	UN/NA Number	Proper Shipping Name	Packing Group	Hazard Class	Label	North American Emergency Response Guide #	Marine Pollutant Status
NOT APPICABLE. NOT CLASSIFIED HAS HAZARDOUS BY DOT.							

• **CANADIAN TRANSPORTATION INFORMATION**: This product is not regulated by Transport Canada as dangerous goods under Canadian transportation standards. Refer to above information.

**IATA DESIGNATION**: This product is not regulated as dangerous goods by the International Air Transport Association

• EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR): This product is not dangerous goods. Use the above information for transport classification.

#### 14.5 : ENVIRONMENTAL HAZARDS

- None described, as related to transportation.
- 14.6 : SPECIAL PRECAUTIONS FOR USERS
  - Not applicable.
- 14.7 : TRANSPORT IN BULK
  - Not applicable.

## **SECTION 15: REGULATORY INFORMATION**

## 15.1 : SAFETY. HEALTH. AND ENVIRONMENTAL REGULATIONS SPECIFIC FOR THE SUBSTANCE OR MIXTURE.

#### OTHER IMPORTANT U.S. REGULATIONS

- U.S. SARA THRESHOLD PLANNING QUANTITY: Not applicable.
- U.S. SARA HAZARD CATEGORIES (SECTION 311/312, 40 CFR 370-21): ACUTE: Yes; CHRONIC: No; FIRE: No; REACTIVE: No; SUDDEN RELEASE: No
- U.S. CERCLA REPORTABLE QUANTITY (RQ): Not applicable.
- **U.S. TSCA INVENTORY STATUS:** All components of this product are listed on the TSCA Inventory.
- US SARA 313: Not applicable.
- CALIFORNIA SAFE DRINKING WATER ACT (PROPOSITION 65) STATUS: Not applicable.

Bright Palladium Plating Solution	GOLD PLATING SERVICES	SAFETY DATA SHEET
Product Line	Page 8 of 10	July 1, 2019

## **SECTION 15: REGULATORY INFORMATION**

#### INTERNATIONAL REGULATIONS

- CANADIAN DSL/NDSL INVENTORY STATUS: The listed components of this product are on the DSL/NDSL Inventory.
- **CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS:** The components of this product are not on the CEPA Priorities Substances Lists.
  - GERMAN WATER HAZARD CLASSIFICATION: 1 (no hazard to waters)

#### 15.2 : CHEMICAL SAFETY ASSESSMENT.

• No information available.

## **SECTION 16: OTHER INFORMATION**

#### 16.1 : INDICATION OF CHANGE.

- CHANGE INDICATED: New phone number; volume annotations. Addition of trademark, copyright.
- ORIGINAL DATE OF ISSUE: March 25, 2008
- DATES OF UPDATES: June 6, 2013; April 8, 2014; July 15, 2014; July 1, 219

#### 16.2 : ABBREVIATIONS AND ACRONYMS.

**ALL SECTIONS:** <u>OSHA</u>: U.S. Federal Occupational Safety and Health Administration. <u>WHMIS</u>: Canadian Workplace Hazardous Materials Standard. <u>GHS</u>: Globally Harmonized System of Classification of Chemical Substances. <u>REACH</u>: European Union regulation, Registration, Evaluation, Authorization and Restriction of Chemical substances.

**SECTION 2:** <u>CAS Number</u>: Chemical Abstract Service Number, which is used by the American chemical Society to uniquely identify a chemical. <u>EINECS</u>: European Inventory of Existing Commercial Substances.

#### SECTION 3: HAZARDOUS MATERIALS IDENTIFICATION

<u>SYSTEM RATING</u>: This is a rating system used by industry to summarize physical and health hazards to chemical users and was originally developed by the National Paint and Coating Association. 0 = No Significant Hazard. 1 = Slight Hazard. 2 = Moderate Hazard. 3 = Severe Hazard. 4 = Extreme Hazard.

**SECTION 5:** <u>NFPA</u>: National Fire Protection Association. <u>NFPA</u> <u>FLAMMABILITY CLASSIFICATION</u>: The NFPA uses the flash point (FI.P.) and boiling point (BP) to classify flammable or combustible liquids. Class IA: FI.P. below 73°F and BP below 100°F. Class IB: FI.P. below 73°F and BP at or above 100°F. Class IC: :FI.P. at or above 73°F and BP at or above 100°F. Class III: : FI.P. at or above 73°F and BP at or above 100°F. Class III: : FI.P. at or above 73°F. Class IIIB: FI.P. at or above 140°F and below 200°F. Class IIIB: FI.P. at or above 200°F. <u>NFPA</u> <u>HAZARDOUS MATERIALS RATING</u>: This is a rating system used to summarize physical and health hazards to firefighters. 0 = No Significant Hazard. 1 = Slight Hazard. 2 = Moderate Hazard. 3 = Severe Hazard. 4 = Extreme Hazard.

SECTION 8: NE:Not established. ACGIH: American Conference of Government Industrial Hygienists; <u>TWA</u>: Time-Weighted Average (over an 8-hour work day); <u>STEL:</u> Short-Term Exposure Limit (15 minute average, no more than 4-times daily and each exposure separated by one-hour minimally); C: Ceiling Limit (concentration not to be exceeded in a work environment). PEL: Permissible Exposure Limit. NIOSH: National Institute of Occupational Safety and Health; REL: Recommended Exposure Limit; IDLH: Immediatelv Dangerous to Life and Health Concentrations. Note: In July 1992, a court ruling vacated the more protective PELs set by OSHA in 1989. Because OSHA may enforce the more protective levels under the "general duty clause", both the current and vacated levels are presented in this document. ppm: Parts per Million. mg/m3: Milligrams per cubic meter. mppcf: Millions of Particles per Cubic Foot. BEI: Biological Exposure Limit. EL: Exposure Limit ( United

Kingdom). Federal Republic of Germany (<u>DFG</u>) Maximum Concentration Values in the Workplace (<u>MAKs</u>)

**SECTION 9:** <u>pH</u>: Scale (0 to 14) used to rate the acidity or alkalinity of aqueous solutions. For example, a pH value of 0 indicates a strongly acidic solution, pH of 7 indicates a neutral solution, and a pH value of 14 indicates an extremely basic solution. <u>FLASH POINT</u>: Temperature at which a liquid generates enough flammable vapors so that ignition may occur. <u>AUTOIGNITION TEMPERATURE</u>: Temperature at which spontaneous ignition occurs. <u>LOWER EXPLOSIVE LIMIT (LEL)</u>: The minimal concentration of flammable vapors in air which will sustain ignition. <u>UPPER EXPLOSIVE LIMIT (LEL)</u>: The maximum concentration of flammable vapors in air which will sustain ignition. <u>UPPER EXPLOSIVE LIMIT (UEL)</u>: The maximum concentration of flammable vapors in air which will sustain ignition. *PLPER* and *PLPER* and

SECTION 11: CARCINOGENICITY STATUS: NTP: National Toxicology Program. IARC: International Agency for Research on Cancer. <u>REPRODUCTIVE TOXICITY INFORMATION</u>: Mutagen: Substance capable of causing chromosomal damage to cells. Embryotoxin: Substance capable of damaging the developing embryo in an overexposed female. Teratogen: Substance capable of damaging the developing fetus in an overexposed female. Reproductive toxin: Substance capable of adversely affecting male or female reproductive organs or functions. TOXICOLOGY DATA: LDxxor LCxx: The Lethal Dose or Lethal Concentration of a substance which will be fatal to a given percentage (xx) of exposed test animals by the designate route of administration. This value is used to access the toxicity of chemical substances to humans. TDxxor TCxx: The Toxic Dose or Toxic Concentration of substance which will cause an adverse effect to a given percentage (xx) of exposed test animals by the designate route of administration.

SECTION 12: <u>TLm</u> – Median Tolerance Limit

**SECTION 13:** <u>RCRA</u>: Resource Conservation and Recovery Act. The regulations promulgated under this act under Act are found in 40 CFR, Sections 260 ff, and define the requirements of hazardous waste generation, transport, treatment, storage, and disposal. <u>EPA</u> <u>RCRA Waste Codes</u>: Defined in 40 CFR Section 261.

**SECTION 15:** <u>CERCLA</u>: Comprehensive Environmental Response Compensation and Liability Act (a.k.a. "Superfund") and SARA: (Superfund Amendment and Reauthorization Act). The regulations promulgated under this Act are located under 40 CFR 300 ff. and provide "community right-to-know" requirements. DSL/NDSL: Canadian Domestic Substances and Non-Domestic Substances Lists.

Bright Palladium Plating Solution	GOLD PLATING SERVICES	SAFETY DATA SHEET
Product Line	Page 9 of 10	July 1, 2019

## **SECTION 16: OTHER INFORMATION (Continued)**

#### 16.3 : KEY LITERATURE REFERENCES AND SOURCES FOR DATA

- SAFETY DATA SHEETS FOR COMPONENT PRODUCTS.
- Regulations (EC) No 1907/2006, 1272/2008 & 453/2010 of the European Parliament and of the Council.
- Federal OSHA Hazard Communication Standard: 29 CFR 1910.1200
- SAX Dangerous Properties of Industrial Materials
- RTECS Registry of Effects of Toxic Chemicals
- ESIS -European Chemical Substances Information System http://esis.jrc.ec.europa.eu/

#### 16.4 : CLASSIFICATION AND PROCEDURE USED TO DERIVE THE CLASSIFICATIONS FOR MIXTURES

• **CLASSIFICATION**: Section 2 (Hazards Information) provides all relevant classification information used for this product. The assignments were based on data available for the component products, calculations, expert judgment, and weight of evidence.

#### 16.5 : WARRANY AND COPYRIGHT

- WARRANTY: The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Gold Plating Services. assumes no responsibility for injury to the vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, Gold Plating Services assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in his use of the material.
- COPYRIGHT © 2016 by Gold Plating Services.

Bright Palladium Plating Solution	GOLD PLATING SERVICES	SAFETY DATA SHEET
Product Line	Page 10 of 10	July 1, 2019