

Eastman(TM) Turbo Oil 2197

Version 2.2 Revision Date: 28.07.2016 SDS Number: 150000097791 Date of last issue: 22.07.2016
 Date of first issue: 23.06.2014
 SDSNZ / PRD / 0001

- In case of skin contact : Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
 Wash contaminated clothing before reuse.
 If symptoms persist, call a physician.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
 Get medical attention if symptoms occur.
- If swallowed : Rinse mouth.
 Call a physician or poison control centre immediately.
 Do NOT induce vomiting.
 Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Prolonged skin contact may defat the skin and produce dermatitis.
 Contact with hot product will cause thermal burns.
 Inhalation of thermal decomposition products may lead to adverse effects including pulmonary edema.
- Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
 Foam
 Dry powder
 Carbon dioxide (CO2)
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during fire-fighting : Hazardous combustion products
 carbon dioxide, carbon monoxide
 oxides of phosphorus
- Specific extinguishing methods : In case of fire and/or explosion do not breathe fumes.
 Use water spray to cool unopened containers.
 Prevent fire extinguishing water from contaminating surface water or the ground water system.
- Special protective equipment for firefighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ventilate the area.
 Material can create slippery conditions.
 Use personal protective equipment.
 Local authorities should be advised if significant spillages cannot be contained.

Eastman(TM) Turbo Oil 2197

Version Revision Date: SDS Number: Date of last issue: 22.07.2016
2.2 28.07.2016 150000097791 Date of first issue: 23.06.2014
SDSNZ / PRD / 0001

Environmental precautions : Avoid release to the environment.

Methods and materials for containment and cleaning up : Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice.
Do not get in eyes.
Do not get on skin or clothing.
Wash thoroughly after handling.
Do not breathe vapours or spray mist.
Use only in area provided with appropriate exhaust ventilation.
Drain or remove substance from equipment prior to break-in or maintenance.
Wear appropriate personal protective equipment.

Conditions for safe storage : Keep containers tightly closed in a cool, well-ventilated place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

Engineering measures : Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection

Material : Recommended gloves:

Material : Nitrile rubber

Remarks : Wear suitable gloves. Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions.

Eye protection : Wear safety glasses with side shields (or goggles).

Eastman(TM) Turbo Oil 2197

Version Revision Date: SDS Number: Date of last issue: 22.07.2016
2.2 28.07.2016 150000097791 Date of first issue: 23.06.2014
SDSNZ / PRD / 0001

Protective measures : Ensure that eye flushing systems and safety showers are located close to the working place.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid
Colour : amber
Odour : No data available
Odour Threshold : not determined
Melting point/freezing point : -54 °C
Flash point : 246 °C
 Method: Cleveland open cup
Evaporation rate : not determined
Flammability (solid, gas) : Not applicable
Vapour pressure : not determined
Relative density : 0.997
Solubility(ies)
 Water solubility : insoluble
Viscosity
 Viscosity, kinematic : 26 mm²/s (40 °C)
 5.19 mm²/s (100 °C)

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.
Chemical stability : Stable under normal conditions.
Conditions to avoid : Keep away from sources of ignition - No smoking.
Incompatible materials : Strong oxidizing agents
Hazardous decomposition products : Emits acrid smoke and fumes when heated to decomposition.

Eastman(TM) Turbo Oil 2197

Version Revision Date: SDS Number: Date of last issue: 22.07.2016
2.2 28.07.2016 150000097791 Date of first issue: 23.06.2014
SDSNZ / PRD / 0001

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity****Product:**

- Acute oral toxicity : Acute toxicity estimate (Rat): > 5,000 mg/kg
Assessment: Not classified
Remarks: Read-across from a similar material
- Acute inhalation toxicity : Acute toxicity estimate (Expert judgement): Exposure time: 4 h
Assessment: Not classified
Remarks: Read-across from a similar material
- Acute dermal toxicity : Acute toxicity estimate (Expert judgement): Assessment: Not
classified
Remarks: Read-across from a similar material

Components:**Tricresyl phosphate:**

- Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg
- Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l
Exposure time: 4 h
- Acute dermal toxicity : LD50 Dermal (Rabbit): > 10,000 mg/kg

Skin corrosion/irritation**Product:**

Species: Rabbit
Assessment: Not classified as hazardous.
Result: slight

Components:**Tricresyl phosphate:**

Species: Rabbit
Exposure time: 24 h
Assessment: Not classified as hazardous.
Result: Non-irritating to the skin.

Serious eye damage/eye irritation**Product:**

Species: Rabbit
Result: slight
Assessment: Not classified
Remarks: Read-across from a similar material

Components:

Eastman(TM) Turbo Oil 2197

Version Revision Date: SDS Number: Date of last issue: 22.07.2016
2.2 28.07.2016 150000097791 Date of first issue: 23.06.2014
SDSNZ / PRD / 0001

Tricresyl phosphate:

Species: Rabbit

Assessment: Not classified

Respiratory or skin sensitisation**Product:**

Test Type: Skin Sensitization

Species: Humans

Assessment: Not classified

Method: Human Repeat Insult Patch Test

Result: non-sensitizing

Remarks: Read-across from a similar material

Components:**Tricresyl phosphate:**

Test Type: Skin Sensitization

Assessment: Not classified

Chronic toxicity**Germ cell mutagenicity****Product:**

Genotoxicity in vitro : Test Type: various
Metabolic activation: Read-across from a similar material
Result: Based on available data, the classification criteria are not met.

Genotoxicity in vivo : Test Type: Mutagenicity
Result: Based on available data, the classification criteria are not met.
Remarks: Read-across from a similar material

Components:**Tricresyl phosphate:**

Genotoxicity in vitro : Test Type: various
Result: Based on available data, the classification criteria are not met.
Remarks: Not classified

Genotoxicity in vivo : Test Type: various
Result: Based on available data, the classification criteria are not met.

Carcinogenicity**Product:**

Species: Mouse

Application Route: Dermal

Remarks: Based on available data, the classification criteria are not met.

Eastman(TM) Turbo Oil 2197

Version 2.2 Revision Date: 28.07.2016 SDS Number: 150000097791 Date of last issue: 22.07.2016
Date of first issue: 23.06.2014
SDSNZ / PRD / 0001

Read-across from a similar material

Reproductive toxicity**Product:**

Effects on fertility : Species: Rat
Remarks: No known significant effects or critical hazards.

Effects on foetal development : Species: Rat
Remarks: No known significant effects or critical hazards.

Reproductive toxicity - Assessment : No toxicity to reproduction

Components:**Tricresyl phosphate:**

Effects on fertility :
Species: Rat
Remarks: Suspected of damaging fertility.

Effects on foetal development : Species: Rat
Remarks: Suspected of damaging the unborn child.

Reproductive toxicity - Assessment : May damage the unborn child. Suspected of damaging fertility.

STOT - single exposure**Product:**

Assessment: Based on available data, the classification criteria are not met.

Components:**Tricresyl phosphate:**

Assessment: Based on available data, the classification criteria are not met.

STOT - repeated exposure**Product:**

Assessment: Based on available data, the classification criteria are not met.

Components:**Tricresyl phosphate:**

Assessment: Based on available data, the classification criteria are not met.

Repeated dose toxicity**Product:**

Eastman(TM) Turbo Oil 2197

Version 2.2 Revision Date: 28.07.2016 SDS Number: 150000097791 Date of last issue: 22.07.2016
Date of first issue: 23.06.2014
SDSNZ / PRD / 0001

Remarks: No known significant effects or critical hazards.

Components:**Tricresyl phosphate:**

Species: Rat
NOEL: 300 mg/l

Aspiration toxicity**Product:**

Not classified

Components:**Tricresyl phosphate:**

Not classified

Experience with human exposure**Product:**

Inhalation : Remarks: None known.

Skin contact : Remarks: Prolonged skin contact may defat the skin and produce dermatitis.

Eye contact : Remarks: Contact with the eyes may be very painful but does not cause damage.

Ingestion : Remarks: None known.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish : LC50 (Fish):
Exposure time: 96 h
Remarks: Not classified as hazardous.
(limit of solubility in fresh water)
Read-across from a similar material

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)):
Exposure time: 48 h
Remarks: Not classified as hazardous.
(limit of solubility in fresh water)
Read-across from a similar material

Toxicity to algae : NOEC (Pseudokirchneriella subcapitata (algae)):
Exposure time: 72 h
Remarks: Not classified as hazardous.
(limit of solubility in fresh water)

Eastman(TM) Turbo Oil 2197

Version 2.2 Revision Date: 28.07.2016 SDS Number: 150000097791 Date of last issue: 22.07.2016
 Date of first issue: 23.06.2014
 SDSNZ / PRD / 0001

Read-across from a similar material

Toxicity to fish (Chronic toxicity) : NOEC (Fish):
 Remarks: Not classified as hazardous.
 (limit of solubility in fresh water)
 Read-across from a similar material

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC:
 Remarks: Not classified as hazardous.
 (limit of solubility in fresh water)
 Read-across from a similar material

Components:**Tricresyl phosphate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.6 mg/l
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.146 mg/l
 Exposure time: 48 h

M-Factor (Acute aquatic toxicity) : 1

Persistence and degradability**Product:**

Biodegradability : Result: Readily biodegradable
 Biodegradation: 92.36 %
 Exposure time: 28 d

Biochemical Oxygen Demand (BOD) : Remarks: No data available

Chemical Oxygen Demand (COD) : Remarks: No data available

BOD/COD : Remarks: No data available

Bioaccumulative potential**Product:**

Bioaccumulation : Remarks: Mixture
 Not applicable

Components:**Tricresyl phosphate:**

Bioaccumulation : Bioconcentration factor (BCF): 2,000
 Remarks: No information available.

Partition coefficient: n-octanol/water : Pow: 860,000
 log Pow: 5.93

Eastman(TM) Turbo Oil 2197

Version Revision Date: SDS Number: Date of last issue: 22.07.2016
2.2 28.07.2016 150000097791 Date of first issue: 23.06.2014
SDSNZ / PRD / 0001

Mobility in soil**Components:****Tricresyl phosphate:**

Distribution among environmental compartments : log Koc: 4.31

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.

SECTION 14. TRANSPORT INFORMATION**International Regulation****IATA-DGR**

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture****HSNO Approval Number**

Not applicable

HSNO Controls

Approved handler certificate not required.

HSNO tracking not required.

Refer to EPA user guide to the HSNO control regulations for further information.

The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory

DSL : On the inventory, or in compliance with the inventory

AICS : On the inventory, or in compliance with the inventory

Eastman(TM) Turbo Oil 2197

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 22.07.2016 |
| 2.2 | 28.07.2016 | 150000097791 | Date of first issue: 23.06.2014 |

SDSNZ / PRD / 0001

| | |
|-------|---|
| ENCS | : On the inventory, or in compliance with the inventory |
| KECI | : Not listed |
| PICCS | : Not listed |
| IECSC | : On the inventory, or in compliance with the inventory |

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Further information

Sources of key data used to compile the Safety Data Sheet : www.EastmanAviationSolutions.com

Date format : dd.mm.yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guid-

Eastman(TM) Turbo Oil 2197

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 22.07.2016 |
| 2.2 | 28.07.2016 | 150000097791 | Date of first issue: 23.06.2014 |

SDSNZ / PRD / 0001

ance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

NZ / EN